



CENTURION REMEDIES PVT. LTD.

G-5, INDUSTRIAL ESTATE, GORWA, VADODARA-390016
REG.OFF.: G-5, INDUSTRIAL ESTATE, GORWA, VADODARA-390016
Phone : 2282061, 2281074, 3290522 Fax : 2280436 C.I.No. : U24231GJ2003PTC42254
Email : cen_lab@rediff.com

A/C OF FORTUNE HEALTH CARE QUALITY CONTROL DEPARTMENT

Page 1 of 1




THE DRUG & COSMETIC ACT. 1940 & THE RULES THEREUNDER

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Product Name : FILDENA CT 50	A.R. No. : F/2291-A/21-22
Packing : 10x10 TAB	Rel. Dt. : 21-09-2021
Generic Name : SILDENAFIL CITRATE CHEWABLE TABLETS	T.R. Slip No. : CFPAP21039
Product Code : TF-43FORTU	T.R. Slip Dt. : 21-09-2021
Batch No. : TF-430003	Analysis Date : 21-09-2021
Actual Batch Size : 83000 TAB	Specification No. : CRFS/TF-43FORTU/1920
Mfg. Dt. : 08/2021	Specification Dt. : 15-05-2019
Exp. Dt. : 07/2024	STP No. : STP/TF-43FORTU/AS PER IHS
Test Packing : 10X10 TAB	Location : GORWA01
Mfg. Lic No. : G/3167-A	Make : FORTUNE
Sample Size : 50.000 TAB	
Released Qty : 83000.000 TAB (830 CAR)	Test As Per : IH
Remarks : pass	

Sr.	Test	Result	Specification
1.	DESCRIPTION	A white coloured, triangle shaped, biconvex, peppermint flavoured uncoated, chewable tablet, engraved with "F" on one side and "50" on other side .	A white coloured, triangle shaped, biconvex, peppermint flavoured uncoated, chewable tablet, engraved with "F" on one side and "50" on other side .
2.	IDENTIFICATION	Complies	Must Complies as per IHS
3.	AVERAGE WEIGHT OF TABLETS	121.5 mg	120.00 mg \pm 5.0% of avg. weight
4.	UNIFORMITY OF WEIGHT	H.L. : +3.36% L.L. : -2.30%	Within \pm 7.5% of avg. weight
5.	THICKNESS	3.46 mm	3.40mm \pm 0.4 mm
7.	HARDNESS	3.5 kg/cm ²	NLT 3 kg/cm ²
8.	FRIABILITY	0.41%	NMT 1.0 %
9.	ASSAY	97.42 %	Each Uncoated Chewable Tablet Contains : Sildenafil Citrate eq. to Sildenafil 50 mg [LIMIT : 90% TO 110%]

Conclusion : The above sample complies as per IH
In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Prepared By  DIVYESH QC CHEMIST	Checked By  PINALPATEL Q.C IN CHARGE	Approved By  PUSHPENDRA QA HEAD
---	--	---